



香港總公司：
銀科工業(香港)有限公司
香港荃灣沙咀道66A號豪力中心2108室
電話：(852) 2499 9168 & (86)138-2917-9168 香港專線
傳真：(852) 2417 9183
電郵：sales@silvertech.com.hk
網址：www.silvertech.com.hk

東莞分公司：
銀科工業(廣東)有限公司
東莞市塘廈鎮橋龍橋興路23號銀科大樓
電話：(0769)-8209 3005
傳真：(0769)-8798 1313
電郵：dgoffice@silverttech.com.hk

上海分公司：
銀科商貿(上海)有限公司
上海市閘行區中春路8633弄41號26幢617室
電話：(021)-6296 8880
傳真：(021)-6220 8887
電郵：shoffice@silvertech.com.hk

深圳工廠：
銀科鎂德傳動件製造(廣東)有限公司

成都工廠：
成都銀科同步帶輪製造有限公司

Hong Kong Headquarters:(For Import& Export Sales)
Silvertech Industrial (H.K.) Ltd.
Rm.2108, Ho Lik Centre, 66A Sha Tsui Road, Tsuen Wan, Hong Kong
Tel : (852) 2499 9168 & (86)138-2917-9168 HK Direct line
Fax: (852) 2417 9183
Email: sales@silvertch.com.hk
Web Site: www.silvertch.com.hk

China Guangdong Branch Office:
Silvertech Industrial (Guangdong) Ltd.
Silvertech Building, No.23 Qiaoxing Road, Tangxia, Dongguan
Tel : (0769)-8209 3005
Fax: (0769)-8798 1313
Email: dgoffice@silvertech.com.hk

China Shanghai Branch Office:
Silvertech Industrial (Shanghai) Ltd.
Rm.617, Blk 26, No.41 Lane 8633, Zhongchun Road, Minhang District, Shanghai
Tel : (021)-6296 8880
Fax: (021)-6220 8887
Email: shoffice@silvertch.com.hk

China Shenzhen Factor :
Madler-Silvertch Power Transmission Components (Guangdong) Ltd.

China Chengdu Factory:
Chengdu Silverttech Timing Pulleys Manufacturing Ltd.

工 業 技 術
SILVERTECH

www.silvertech.com.hk

專業製造



SILVERTECH 銀 科 工 業

 高品質傳動件
High Quality Power
Transmission Products

選銀科工業・做最好機械
Your choice for Industrial Products



客服熱線: 4008-618-120
 網址: www.silvertech.com.hk



4008-618-120
www.silvertech.com.hk



關於我們

銀科工業(香港)有限公司，總部位於香港,分公司和工廠設於中國內地。公司的主要業務為生產和進出口銷售、銀科工業的產品被廣泛應用於鐵路、航空、船舶工業、能源、國防工業、石油化工、環保工業、食品加工和各類機械工業等領域。

- 生產和銷售高品質工業傳動零部件，出口至世界各國
 - 進口德國、瑞士、意大利、美國、日本、台灣等地生產的高科技工業產品，並且是這些世界級著名品牌的大中華總代理。
- 累計超過20年以上服務海內外客戶的經驗，我們不斷進步，總結，發展，因此而奠定了堅實的基礎，在海內外業界均享有優質的口碑，在系統化培訓和員工對企業的歸屬感，大家分別工作於香港、東莞、上海、成都、深圳，今天的銀科工業已擁有一支非常專業的團隊，為海內外工業界提供優質產品,為貼近客戶而盡我們所能。

Silverttech Industrial (HK) Ltd. with its headquarters in Hong Kong and branches as well as factories in mainland China. Our business focuses on the production/export and import of high quality power transmission parts. These products can be applied to railway, aerospace, marine industry, energy, defends industry, chemistry, food/beverage, environmental production and machinery industries, etc.

- From our own production: our products are well known in the local market in China as well as in the global markets, such as European and North American countries.
- From import: We are the sole authorised distributor in the Greater China area for many world-renowned high-tech industrial products from Germany, Switzerland, Italy, USA, Japan and Taiwan.

We are growing stronger with over twenty years experience of serving clients in overseas and Greater China Area. Silverttech Industrial has well developed world reputation and brand loyalty. Our company engages in systemic on the job training and invests in corporate human resource. We have developed an extremely competent and dedicated team working in Hong Kong, Dongguan, Shanghai, Chengdu, Shenzhen. We are known as the company providing the best products and service for our customers.

我們的地理位置分佈



目錄 Directory

聯軸器系列

COUPLING

001-010

鏈條系列

ROLLER CHAIN

011-027

鏈輪系列

SPROCKET

028-047

脹緊聯接套系列

LOCKING ASSEMBLY

048-087

同步帶輪系列

TIMING BELT PULLEY

088-132

正齒輪系列

SPUR GEAR


133-144

錐套系列

TAPER BUSH


145-147

HIGH QUALITY TAPER BUSH



(in.)

BUSH No.	L	A	D	SET SCREWS DIA × LENGTH
1008	7/8	1.386	1-21/64	1/4×1/2
1108	7/8	1.511	1-29/64	1/4×1/2
1210	1	1-7/8	1-3/4	3/8×5/8
1610	1	2-1/4	2-1/8	3/8×5/8
1615	1-1/2			
2012	1-1/4	2-3/4	2-5/8	7/16×7/8
2517	1-3/4	3-3/8	3-1/4	1/2×1
3020	2	4-1/4	4	5/8×1-1/4
3030	3			



(in.)

BUSH No.	L	A	D	SET SCREWS CAP SCREWS DIA × LENGTH	E°
3525	2-1/2	5	4.83	1/2×1-1/2	40°
3535	3-1/2				
4030	3	5-3/4	5.54	5/8×1-3/4	40°
4040	4				
4535	3-1/2	6-3/8	6.13	3/4×2	40°
4545	4-1/2				
5040	4	7	6.72	7/8×2-1/4	37°
5050	5				

規格尺寸 Dimension

錐套號	內孔	鍵槽
BUSH No.	BORE	BUSHING KEYWAY
1008	10	3 × 1.4
	11,12	4 × 1.8
	14,16	5 × 2.3
	18,19,20,22	6 × 2.8
	24,25	8 × 2.0
1108	10	3 × 1.4
	11,12	4 × 1.8
	14,16	5 × 2.3
	18,19,20,22	6 × 2.8
	24,25	8 × 3.3
1210	11,12	4 × 1.8
	14,16	5 × 2.3
	18,19,20,22	6 × 2.8
	24,25,28,30	8 × 3.3
	32	10 × 3.3
1615	14,16	5 × 2.3
	18,19,20,22	6 × 2.8
	24,25,28,30	8 × 3.3
1610	32,35,38	10 × 3.3
	40	12 × 3.3
	42	12 × 2.2
2012	18,19,20,22	6 × 2.8
	24,25,28,30	8 × 3.3
	32,35,38	10 × 3.3
	40,42	12 × 3.3
	45,48,50	14 × 3.8
2517	20,22	6 × 2.8
	24,25,28,30	8 × 3.3
	32,35,38	10 × 3.3
	40,42	12 × 3.3
	45,48,50	14 × 3.8
3020	25,28,30	8 × 3.3
	32,35,38	10 × 3.3
	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
3030	60,65	18 × 4.4
	70,75	20 × 4.9
	80,85	22 × 5.4
	90	25 × 5.4
	100	28 × 6.4
3525	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
	60,65	18 × 4.4
	70,75	20 × 4.9
3535	80,85	22 × 5.4
	90,95	25 × 5.4
	100	28 × 6.4
	110	32 × 7.4
	125	32 × 7.4

(mm.)

錐套號	內孔	鍵槽
BUSH No.	BORE	BUSHING KEYWAY
3020	25,28,30	8 × 3.3
	32,35,38	10 × 3.3
	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
3030	60,65	18 × 4.4
	70,75	20 × 4.9
	80,85	22 × 5.4
	90	25 × 5.4
	100	28 × 6.4
3525	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
	60,65	18 × 4.4
	70,75	20 × 4.9
3535	80,85	22 × 5.4
	90,95	25 × 5.4
	100	28 × 6.4
	110	32 × 7.4
	125	32 × 7.4
4030	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
	60,65	18 × 4.4
	70,75	20 × 4.9
4040	80,85	22 × 5.4
	90,95	25 × 5.4
	100	28 × 6.4
	110	32 × 7.4
	125	32 × 7.4
4535	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
	60,65	18 × 4.4
	70,75	20 × 4.9
4545	80,85	22 × 5.4
	90,95	25 × 5.4
	100	28 × 6.4
	110	32 × 7.4
	125	32 × 7.4
5040	40,42	12 × 3.3
	45,48,50	14 × 3.8
	55	16 × 4.3
	60,65	18 × 4.4
	70,75	20 × 4.9
5050	80,85	22 × 5.4
	90,95	25 × 5.4
	100	28 × 6.4
	110	32 × 7.4
	125	32 × 7.4

規格尺寸 Dimension

錐套號	內孔	鍵槽
BUSH No.	BORE	BUSHING KEYWAY
1008	1/2,9/16	1/8 × 1/16
	5/8,11/16,3/4,13/16,7/8	3/16 × 3/32
	15/16,1	1/4 × 1/16
1108	1/2,9/16	1/8 × 1/16
	5/8,11/16,3/4,13/16,7/8	3/16 × 3 / 32
	15/16,1	1/4 × 1/8
	1-1/16,1-1/8	1/4 × 1/16
1210	1/2,9/16	1/8 × 1/16
	5/8,11/16,3/4,13/16,7/8	3/16 × 3/32
	15/16,1,1-1/16,1-1/8	1/4 × 1/8
	1-3/16,1-1/4	
1610	1/2,9/16	1/8 × 1/16
	5/8,11/16,3/4,13/16,7/8	3/16 × 3/32
	15/16,1,1-1/16,1-1/8	1/4 × 1/8
	1-3/16,1-1/4	
1615	1-5/16,1-3/8	5/16 × 5/32
	1-7/16,1-1/2	3/8 × 3/16
	1-9/16,1-5/8	3/8 × 1/8
2012	1/2,9/16	1/8 × 1/16
	5/8,11/16,3/4,13/16,7/8	3/16 × 3 × 32
	15/16,1,1-1/16,1-1/8	1/4 × 1/8
	1-3/16,1-1/4	
	1-5/16,1-3/8	5/16 × 5/32
	1-7/16,1-1/2,1-9/16,1-5/8	3/8 × 3 × 16
	1-11/16,1-3/4	
	1-13/16,1-7/8	1/2 × 1/4
2517	1-15/16,2	1/2 × 3/16
	1/2	1/8 × 1/16
	5/8,11/16,3/4,13/16,7/8	3/16 × 3/32
	15/16,1-1/16,1-1/8	1/4 × 1/8
	1-3/16,1-1/4	
	1-5/16,1-3/8	5/16 × 5/32
	1-7/16,1-1/2,1-9/16,1-5/8	3/8 × 3/16
	1-11/16,1-3/4	
	1-13/16,1-7/8,1-15/16,2	1/2 × 1/4
	2-1/16,2-1/8,2-3/16,2-1/4	
	2-5/16,2-3/8,2-7/16,2-1/2	5/8 × 3/16

(In.)

錐套號	內孔	鍵槽
BUSH No.	BORE	BUSHING KEYWAY
3020	15/16,1,1-1/8,1-3/16,1-1/4	1/4 × 1/8
	1-5/16,1-5/8	5/16 × 5/32
	1-7/16,1-1/2,1-9/16,1-5/8,1-11/16	3/8 × 3/16
	1-3/4	
3030	1-13/16,1-7/8,1-15/16,2,2-1/16,2-1/8	1/2 × 1/4
	2-3/16,2-1/4	
	2-5/16,2-3/8,2-7/16,2-1/2,2-5/8	5/8 × 5/16
	2-11/16,2-3/4	
3525	2-7/8,2-15/16,3	3/4 × 1/4
	1-3/16,1-1/4	1/4 × 1/8
	1-3/8	5/16 × 5/32
	1-7/16,1-1/2,1-5/8,1-11/16,1-3/4	3/8 × 3/16
	1-7/8,1-15/16,2,2-1/8,2-3/16,2-1/4	1/2 × 1/4
	2-5/16,2-3/8,2-7/16,2-1/2,2-5/8	5/8 × 5/16
	2-11/16,2-3/4	
	2-7/8,2-15/16,3,3-1/8,3-3/16,3-1/4	3/4 × 3/8
	3-5/16,3-3/8,3-7/16,3-1/2	7/8 × 1/4
	3-15/16	1 × 1/4
4030	1-7/16,1-1/2,1-5/8,1-11/16,1-3/4	3/8 × 3/16
	1-7/8,1-15/16,2,2-1/8,2-3/16,2-1/4	1/2 × 1/4
	2-3/8,2-7/16,2-1/2,2-5/8,2-11/16,2-3/4	5/8 × 5/16
	2-7/8,2-15/16,3,3-1/8,3-3/16,3-1/4	3/4 × 3/8
	3-3/8,3-7/16,3-1/2,3-3/8,3-11/16,3-3/4	7/8 × 7/16
	3-7/8,3-15/16,4,4-7/16	1 × 1/4
4535	1-15/16,2,2-3/16	1/2 × 1/4
	2-3/8,2-7/16,2-5/8,2-3/4	5/8 × 5/16
	2-7/8,2-15/16,3,3-1/8,3-3/16,3-1/4	3/4 × 3/8
	3-3/8,3-7/16,3-1/2,3-5/8,3-3/4	7/8 × 7/16
	3-7/8,3-15/16,4,4-1/8,4-3/16,4-1/4	1 × 1/2
	4-3/8,4-7/16,4-1/2	1 × 1/4
	4-15/16	1-1/4 × 1/4
	2-7/16	5/8 × 5/16
5040	2-15/16	3/4 × 3/8
	3-3/8,3-7/16,3-5/8	7/8 × 7/16
	3-7/8,3-15/16,4,4-1/4,4-3/8,4-7/16,	1 × 1/2
	4-1/2	
	4-7/8,4-15/16,5	1 × 1/4 × 7/16